




**KNITTING BOOK
No. 20**

TODDLERS CARDIGANS 1 TO 4 YEARS

1/3



Miladi



gay-time

AGED 2-3 YEARS

MATERIALS: 5 ozs. of 4-ply "MILADI-ANNE" Best Botany Hand Knitting Wool. 1 pair No. 10 "PARAGON" knitting needles. 5 buttons.

MEASUREMENTS: Length from shoulder to lower edge 12 ins., chest 22 ins., sleeve seam 9½ ins.

TENSION: 7 sts. and 9 rows to 1 inch.

ABBREVIATIONS: See page 7.

NOTE: The cardigan is worked in one piece to the commencement of armhole shapings. If the garment is for a Girl, work the buttonholes on the Right Front.

Cast on 165 sts. and work 10 rows in moss st., beg. and ending each row with k. 1, making a buttonhole at the END of the 5th row thus:—Moss st. until 5 sts. rem., cast off 2, moss st. 3. On the following row cast on 2 sts. to replace those cast off.

Complete the 10 rows, then work in the following patt.:—

1st Row: (K. 1, p. 1) 3 times (border),

k. 1, * p. 3, k. 1; rep. from * until 6 sts. rem. (p. 1, k. 1) 3 times (border).

2nd row (K. 1, p. 1) 3 times (border), p. 1, * k. 2, p. 1, k. 1, p. 1, k. 2 p. 1; rep. from * until 6 sts. rem. (p. 1, k. 1) 3 times (border).

Rep. these 2 rows for patt. until the work measures 8 ins., making further buttonholes (as before) at intervals of 1½ ins. until there are 5 in all.

COMMENCE ARMHOLE AND FRONT SLOPE SHAPING: (r.s.f.).

Moss st. 6, k. 2 tog., patt. 31, cast off 7, patt. 73, cast off 7, patt. 31, k. 2 tog., moss st. 6. Cont. on the last 38 sts. for the left front, dec. 1 st. at the armhole edge on the following 6 rows, at the same time cont. to shape the front slope by dec. 1 st. immediately inside the moss st. border (as before) on every following 4th row until 22 sts. rem. and the armhole measures 4 ins.,

Continued on page 4.



wee mite

AGED 1-2 YEARS

MATERIALS:

4 ozs of 3-ply "MILADI" Scotch Fingering Wool. 1 pair each Nos. 10 and 12 "PARAGON" knitting needles. 8 buttons.

MEASUREMENTS: Length from shoulder to lower edge 11 inches, chest 22 inches, sleeve seam 8½ inches.

TENSION: 7½ stitches and 10 rows to 1 inch.

ABBREVIATIONS: See page 7.

NOTE:—If the garment is for a Boy, work the buttonholes on the Left Front.

THE BACK: Using No. 12 needles, cast on 80 sts. and work in rib as follows:—

1st Row: K. 1, * p. 2, k. 2; rep. from * ending with k. 1 instead of k. 2.

2nd Row: P. 1, * k. 2, p. 2; rep. from * ending with p. 1 instead of p. 2.

Rep. these 2 rows for 1½ ins., ending with a 2nd row and inc. 1 st. at both

ends of the last row. (82 sts.). Change to No. 10 needles and work in the following patt.:—

1st Row: K. 2, * p. 2, k. 2; rep. from * to end.

2nd Row: P. 2, * k. 2, p. 2; rep. from * to end.

3rd Row: P.

4th Row: K.

These 4 rows comprise the patt. Rep. them until the work measures 7 ins., ending with a wrong side row.

SHAPE ARMHOLES: Cast off 3 sts. at the beg. of the next 2 rows, then dec. 1 st. at both ends of the following 7 rows. (62 sts.). Cont. in patt. without further shaping until the armholes measure 3¾ ins. on the straight, ending with a wrong side row.

SHAPE NECK AND SHOULDERS: Patt. 22, cast off 18, patt. 22. Cont. on the last 22 sts. dec. 1 st. at the neck edge on the next 2 rows, then shape the shoulder by casting off 9 sts. from

Continued overleaf.



the armhole edge on the next 2 alternate rows, at the same time dec. at the neck edge twice more.

Rejoin wool at the neck edge and work the other side to correspond, reversing shapings.

LEFT FRONT: Using No. 12 needles, cast on 44 sts. and work in rib with a garter st. border as follows:—

1st Row: K. 2, * p. 2, k. 2; rep. from * until 6 sts. rem., k. 6.

2nd Row: K. 6, p. 2, * k. 2, p. 2; rep. from * to end.

Rep. these 2 rows for $1\frac{1}{2}$ ins., ending with a 2nd row.

Change to No. 10 needles and work in patt. still keeping 6 sts. at the front edge in garter st. as a border throughout. Cont. thus until the work measures the same as for the back to commencement of armhole shapings, ending with a wrong side row.

SHAPE ARMHOLE: Cast off 3 sts. at the beg. of the next row, then dec. 1 st. at the armhole edge on the following 7 rows. (34sts.). Cont. without further shaping until the armhole measures $2\frac{1}{2}$ ins. on the straight, ending with a right side row.

SHAPE NECK: Cast off 10 sts. at the beg. of the next row, then dec. 1 st. at the neck edge on the following 6 rows. (18 sts.). Work without further shaping until the armhole measures the same as for the back to shoulder, ending with a wrong side row.

SHAPE SHOULDER: Cast off 9 sts. from the armhole edge on the next 2 alternate rows.

RIGHT FRONT: Work to correspond with the Left Front with the border and all shapings at opposite ends of the work, making a buttonhole in the 5th. row (and then at intervals of $1\frac{1}{2}$ ins. until there are 8 in all) thus:—K. 3, wind the wool twice around the needle, k. 2 tog., work to end of row. On the

following row, drop one made stitch and k. the other. The first 2 rows of the Right Front will be worked as follows:—

1st Row: K. 6, * k. 2, p. 2; rep. from * until 2 sts. rem., k. 2.

2nd Row: P. 2, * k. 2, p. 2; rep. from * until 6 sts. rem., k. 6.

SLEEVES: (Both alike). Using No. 12 needles, cast on 42 sts. and work in rib as follows:—

1st Row: K. 2, * p. 2, k. 2; rep. from * to end.

2nd Row: P. 2, * k. 2, p. 2; rep. from * to end.

Rep. these 2 rows until the work measures $1\frac{1}{2}$ ins., ending with a 2nd row, then change to No. 10 needles and work in patt., inc. 1 st. at both ends of every 6th row until there are 62 sts. on the needle and the work measures $8\frac{1}{2}$ ins. (or length required).

SHAPE TOP: Dec. 1 st. at both ends of every row until 20 sts. rem., cast off, working 2 tog. at both ends of the casting off row.

COLLAR: Using No. 10 needles, cast on 66 sts.

1st Row: K.

2nd Row: K. 4, p. to the last 4 sts., k. 4.

Rep. these 2 rows for $1\frac{1}{2}$ ins., but inc 1 st. at both ends of every right side row (inside the 4 border sts.). Work 6 rows in garter st., cast off LOOSELY.

TO MAKE UP: Press the work very lightly with a warm iron over a damp cloth, omitting the ribbing. Join shoulder, side and sleeve seams. Sew in sleeves, easing in around top of armholes. Sew collar to neck edge, allowing $\frac{1}{2}$ of the border at each side to overlap and the collar edges meeting in the centre. Press all seams. Sew on buttons to correspond with buttonholes. **[END]**

GAY-TIME *Continued from page 2*
ending with a wrong side row.

SHAPE SHOULDER: Cast off 8 sts. from the armhole edge at the beg. of the next 2 alternate rows, then cont. in moss st. on the rem. 6 border sts. for $1\frac{1}{2}$ ins., cast off.

Rejoin wool at the needlepoint and work across the sts. for the back dec. 1 st. at both ends of the following 6 rows. (61 sts.). Cont. in patt. without further shaping until the armholes measures 4 ins. on the straight, ending with a wrong side row.

SHAPE SHOULDERS: Cast off 8 sts. at the beg. of the next 4 rows, cast off rem. sts. for back neck.

Rejoin wool and work the right front to match the left, reversing all shapings.

SLEEVES: (Both alike). Cast on 41 sts. and work 10 rows in moss st. beg and ending each row with k. 1. Now work in the following patt.:—


1st Row: K. 1, * p. 3, k. 1; rep. from * to end.

2nd Row: P. 1, * k. 2, p. 1, k. 1, p. 1, k. 2, p. 1; rep. from * to end.

Rep. these 2 rows for patt., inc. 1 st. at both ends of the 7th and every following 6th row until there are 61 sts. on the needle (working extra sts. into patt.) and the sleeve measures $9\frac{1}{2}$ ins. (or length required).

SHAPE TOP: Keeping the patt. correct dec. 1 st. at both ends of every row until 19 sts. rem. Cast off, working 2 tog. at both ends of the casting off row.

TO MAKE UP: Press the work very lightly with a warm iron over a damp cloth. Join shoulder and sleeve seams. Sew in sleeves easing in around top of armholes. Sew together the 2 sets of border sts. and stitch to back neck edge. Press all seams. Sew on buttons to correspond with buttonholes. **[END]**



junior miss

AGED 4 YEARS



Use only
PARAGON KNITTING NEEDLES

MATERIALS: 5 ozs. of 4-ply "MILADI ANNE" Best Botany Hand Knitting Wool. 1 pair No. 10 "PARAGON" knitting needles. 6 buttons.

MEASUREMENTS: Length from shoulder to lower edge, 12½ ins., chest 24/25 ins., sleeve seam 11 ins.

TENSION: 7 sts. and 9 rows to 1 inch.

ABBREVIATIONS: See page 7.

NOTE: The pattern used in this design requires a number of stitches divisible by 5 plus 2.

THE BACK: Cast on 77 sts. and work 9 rows in moss st. Now work in the following patt.:

1st row (wrong side): K. 3, * p. 1, k. 4; rep. from * ending with k. 3 instead of k. 4.

2nd row: P. 3, * k. into the previous row of the next st., then k. into the

st. itself (henceforth this will be the referred to as "k. 2 in."), p. 4; rep. from * ending with p. 3 instead of p. 4.

3rd row: K. 3, * p. 2, k. 4; rep. from * ending with k. 3 instead of k. 4.

4th row: P. 3, * k. 1, "k. 2 in.", p. 4; rep. from * ending with p. 3 instead of p. 4.

5th row: K. 3, * p. 3, k. 4; rep. from * ending with k. 3 instead of k. 4.

6th row: P. 3, * k. 2, "k. 2 in.", p. 4; rep. from * ending with p. 3 instead of p. 4.


7th row: K. 3, * p. 4, k. 4; rep. from * ending with k. 3 instead of k. 4.

8th row: P. 3, * k. 4 tog., p. 4; rep. from * ending with p. 3 instead of p. 4.

9th row: K. 3, * p. 1, k. 4; rep. from * ending with k. 3 instead of k. 4.

10th row: P. 3, * k. 1; p. 4; rep. from * ending with p. 3 instead of p. 4.

Continued on page 12



smart set

AGED 1-2 YEARS

Use only

PARAGON KNITTING NEEDLES

MATERIALS: 4ozs. of 4 ply "MILADIANNE" Best Botany Hand Knitting Wool. 1 pair each Nos. 10 and 12 "PARAGON" knitting needles. 5 buttons.

MEASUREMENTS: Length from shoulder to lower edge $11\frac{1}{2}$ ins., chest 22 ins., sleeve seam $8\frac{1}{2}$ ins.

TENSION: 7 sts. and 9 rows to 1 inch.

ABBREVIATIONS: See page 7.

NOTE: The mock cable pattern used in this design requires a number of stitches divisible by 8 plus 2.

If the cardigan is for a Girl, make the buttonholes on the Right Front.

THE BACK: Using No. 12 needles, cast on 74 sts. and work in rib as follows:

1st Row: K. 2, * p. 2, k. 2; rep. from * to end.

2nd Row: P. 2, * k. 2, p. 2; rep. from * to end.

Rep. these 2 rows for $1\frac{1}{2}$ ins., ending with a 2nd row.

Change to No. 10 needles and work in the following patt.:-

1st Row: K. 2, * p. 2, k. into the front of the 2nd st. on the left hand needle and sl. it off over the 1st st., m. 1, k. 1, p. 2, k. 2; rep. from * to end.

2nd Row: P. 2, * k. 2, p. 1, k. into the front and back of the next loop, p. 1, k. 2, p. 2; rep. from * to end.

3rd Row: K. 2, * p. 2, k. 1, p. 2, k. 1, p. 2, k. 2; rep. from * to end.

4th Row: P. 2, * k. 2, p. 1, k. 2, p. 1, k. 2, p. 2; rep. from * to end.

Rep. these last 2 rows once.

7th Row: K. 2, * p. 2, sl. 1, k. 1, p.s.s.o., k. 2 tog., p. 2, k. 2; rep. from * to end.

8th Row: P. 2, * k. 2, p. 2; rep. from * to end.

These 8 rows comprise the patt. Rep. them until the work measures

7½ ins., ending with a wrong side row.

SHAPE ARMHOLES: NOTE: Care must be taken while shaping to disregard the 2 extra sts. in the centre of each mock cable and to count the cable part as 2 sts. only.

Cast off 2 sts. at the beg. of the next 2 rows then dec. 1 st. at both ends of the following 6 rows. (58 sts. rem. counted after a 7th or an 8th row and 72 sts. counted after any other row). Cont. in patt. without further shaping until the armholes measure 4 ins. on the straight.

SHAPE SHOULDERS: Cast off 8 sts. at the beg. of the next 4 rows, cast off rem. sts. for back neck. **NOTE:** When casting off on rows containing increased sts., cast off **TIGHTLY**.

RIGHT FRONT: Using No. 12 needles, cast on 40 sts. and work in rib with a garter st. border as follows:—

1st Row: K. 6, * k. 2, p. 2; rep. from * until 2 sts. rem., k. 2.

2nd Row: P. 2, * k. 2, p. 2; rep. from * until 6 sts. rem., k. 6.

Rep. these 2 rows for 1½ ins., ending with a 2nd row.

Change to No. 10 needles and work in patt. as for the back but keeping 6 sts. at the front edge as a border throughout. Cont. thus until the work measures the same as for the back to commencement of armhole shapings, ending with a right side row.

SHAPE ARMHOLE AND FRONT SLOPE: Cast off 2 sts. at the beg. of the next row, patt. to end. Dec. 1 st. at the armhole edge on the following 6 rows, at the same time dec. 1 st. at the front edge immediately inside the garter st. border on the next and every following 3rd row until 22 sts. rem. and the armhole measures the same as for the back to shoulder, ending with a right side row.

SHAPE SHOULDER: Cast off 8 sts.

from the armhole edge on the next 2 alternate rows (casting off **TIGHTLY** on increased rows) and cont. in garter st. on the rem. 6 sts. for 1½ ins., cast off.

LEFT FRONT: Work to correspond with the Right Front with the border and all shapings at opposite ends of the work, making a buttonhole in the 5th row (and then at intervals of 1½ ins. until there are 5 in all) thus:— Work until 4 sts. rem. wind the wool twice around the needle, k. 2 tog., k. 2. On the following row drop one made st. and k. the other.

The first 2 rows of the Left Front will read as follows:—

1st Row: K. 2, * p. 2, k. 2; rep. from * until 6 sts. rem., k. 6.

2nd Row: K. 6, * p. 2, k. 2; rep. from * until 2 sts. rem., p. 2.

SLEEVES: (Both alike) Using No. 12 needles, cast on 40 sts. and work in rib as for the back of cardigan for 1½ ins., ending with a 2nd rib row.


Change to No. 10 needles and work in patt. inc. 1 st. at both ends of the 7th and every following 6th row until there are 58 sts. on the needle (counted after a 7th or 8th row) and working the extra sts. into the patt. Cont. in patt. until the sleeve measures 8½ ins. (or length required).

SHAPE TOP: Keeping the patt. correct, dec. 1 st. at both ends of every row until 18 sts. rem. Cast off, working 2 tog. at both ends of the casting off row.

TO MAKE UP: Press the work with a warm iron over a damp cloth, omitting the ribbing. Join shoulder, side and sleeve seams. Sew in sleeves, easing in the fullness around the top of armhole. Stitch together the 2 sets of border sts. and sew to back neck edge. Press all seams. Sew on buttons to correspond with buttonholes. [END.]

ABBREVIATIONS USED THROUGHOUT THIS BOOK.

K., knit; p., purl; sts., stitches; inc., increase; dec., decrease; tog., together; beg., beginning; rem., remains(ing); rep., repeat; r.s.f., right side facing; patt., pattern; cont., continue; st.-st., stocking stitch (right side knit, wrong side purl); sl., slip; p.s.s.o., pass slipped stitch over; ins., inches; m.1, make 1 (by bringing or leaving the wool forward before a knit stitch or winding the wool around the needle before a purl stitch); moss st. (k. 1, p. 1, alternately on an uneven number of stitches, but when working over an even number of stitches always work a knit stitch over a knit stitch of the previous row); B., black; W., white; F., fawn; M., main; G st., garter stitch (every row knit).



Laddie

AGED 2-3 YEARS

These motifs look effective in fawn and black, but other contrasting colours would be just as attractive.

Use only PARAGON KNITTING NEEDLES

MATERIALS: 5 ozs. of 4 ply "MILADI" Scotch Fingering Wool in the main shade, and $\frac{1}{4}$ oz. of the same wool in fawn and a few yards of black. 1 pair each Nos. 10 and 12 "PARAGON" knitting needles. 5 Buttons.

MEASUREMENTS: Length from shoulder to lower edge, $12\frac{1}{2}$ ins.; chest, 23 ins.; sleeve seam, $10\frac{1}{2}$ ins.



TENSION: 7 sts. and 9 rows to 1 inch.



ABBREVIATIONS: See Page 7.

NOTE: If the cardigan is for a Girl, work the buttonholes on the Right Front.

THE BACK: Using No. 12 needles and M. wool, cast on 82 sts. and work 1 inch in garter st. Change to No. 10

Continued on page 11





penny penguin

AGED 2-3 YEARS

Use only **PARAGON KNITTING NEEDLES**

MATERIALS: 4 ozs. of 4 ply "MILADI-ANNE" Best Botany Hand Knitting Wool in white and $\frac{1}{2}$ oz. of the same wool in black. 1 pair each Nos. 10 and 12 "PARAGON" knitting needles. 5 Buttons.

MEASUREMENTS: Length from shoulder to lower edge, $12\frac{1}{2}$ ins.; chest, 23 ins.; sleeve seam, 10 ins.

TENSION: 7 sts. and 9 rows to 1 inch.

ABBREVIATIONS: See Page 7.

NOTE: If the cardigan is for a boy, work the buttonholes on the Left Front.

Continued overleaf



THE BACK: Using No. 12 needles and W. wool, cast on 76 sts. and work $1\frac{1}{2}$ ins. in k. 1, p. 1 rib. Change to No. 10 needles and work in st.st. until the piece measures $8\frac{1}{2}$ ins., ending with a p. row.

SHAPE ARMHOLES: Cast off 2 sts. at the beg. of the next 2 rows. Dec. 1 st. at both ends of the next 4 rows and then at both ends of the next 2 alternate rows. (60 sts.). Cont. in st.st. without further shaping until the armholes measure 4 ins. on the straight, ending with a p. row.

SHAPE NECK AND SHOULDERS: K. 20, cast off 20, k. 20. Cont. on the last 20 sts. dec. 1 st. at the neck edge on the next 2 rows. Shape shoulder by casting off 8 sts. from the armhole edge on the next 2 alternate rows, at the same time dec. 1 st. at the neck edge twice more. Rejoin wool at the neck edge and work the other side to correspond, reversing shapings.

LEFT FRONT: Using No. 12 needles and W. wool, cast on 44 sts. and work as follows:—

1st Row: * K. 1, p. 1; rep. from * until 6 sts. rem., k. 6.

2nd Row: K. 6, * k. 1, p. 1; rep. from * to end.

Rep. these 2 rows until the work measures $1\frac{1}{2}$ ins., ending with a 2nd row.

Change to No. 10 needles and work 2 rows in st.st. with the 6 sts. at the front edge in garter st. (every row k.) as a border. Now work from the Fair Isle chart marked Left Front. Each square represents one st., and the 38 sts. and 23 rows shown in the chart form the complete patt. for the Left Front.

NOTE: to obtain a neat finish to the work always twist the wools at the juncture between the Fair Isle sts. and those of the background, but do not pull too tightly or the work will become puckered. Break off 2 lengths of B. wool each about 3 yards long and use one for each "Penguin." Thus the first 4 rows will read as follows (read all k. rows from right to left of the chart and all p. rows from left to right):—

1st Row: K. 7 W., join in B., 3 B., 16 W., join in second length of B., 3 B., 9 W., then k. 6 (border).

2nd Row: K. 6 W. (border), p. 2 W., 3 B., 4 W., 3 B., 9 W., 3 B., 4 W., 3 B., 7 W.

3rd Row: K. 8 W., 2 B., 3 W., 4 B., 10 W., 2 B., 3 W., 4 B., 2 W., then k. 6 W. (border).

4th Row: K. 6 W. (border), p. 4 W., 2 B., 3 W., 2 B., 12 W., 2 B., 3 W., 2 B., 8 W.

Cont. in this way until the chart has been completed, then cont. in W., keeping the border correct until the work measures the same as for the back to armhole, ending with a wrong side row.

SHAPE ARMHOLE AND FRONT SLOPE: Cast off 5 sts. at the beg. of the next row, k. until 8 sts. rem., k. 2

tog., k. 6. Dec. 1 st. at the armhole edge on the following 4 rows and then on the next 2 alternate rows, at the same time cont. to shape the front slope by dec. 1 st. immediately inside the garter st. border on every following 4th row until 22 sts. rem. and the armhole measures the same as for the back to shoulder, ending with a wrong side row.

SHAPE SHOULDER: Cast off 8 sts. from the armhole edge on the next 2 alternate rows then cont. on the rem. 6 border sts. for $1\frac{1}{2}$ ins., cast off.

RIGHT FRONT: Work to correspond with the Left Front with the border and all shapings at opposite ends of the work. The first 2 rows will read as follows:—

1st Row: K. 6, * p. 1, k. 1; rep. from * to end.

2nd Row: * P. 1, k. 1; rep. from * until 6 sts. rem., k. 6.

Cont. working to match the Left Front, making a buttonhole at the beg. of the 5th row and then at intervals of $1\frac{1}{2}$ ins. until there are 5 in all thus:—K. 3, wind the wool twice around the needles, k. 2 tog., work to end of row. On the following row drop one made loop and k. the other. When commencing Fair Isle, work from the chart marked Right Front. The first 4 rows will read as follows:—

1st Row: K. 6 W. (border), k. 9 W., join in B., 3 B., 16 W., join in second length of B., 3 B., 7 W.

2nd Row: P. 7 W., 3 B., 4 W., 3 B., 9 W., 3 B., 4 W., 3 B., 2 W., then k. 6 W. (border).

3rd Row: K. 6 W. (border), k. 2 W., 4 B., 3 W., 2 B., 10 W., 4 B., 3 W., 2 B., 8 W.

4th Row: P. 8 W., 2 B., 3 W., 2 B., 12 W., 2 B., 3 W., 2 B., 4 W., then k. 6 W. (border).

NOTE: When shaping the front slope on this side dec. as follows:—K. 6, sl. 1, k. 1, p.s.s.o., work to end of row. (Do not dec. by k. 2 tog.).

SLEEVES (both alike): Using No. 12 needles and W. wool, cast on 42 sts. and work $1\frac{1}{2}$ ins. in k. 1, p. 1 rib. Change to No. 10 needles and work in st.st. inc. 1 st. at both ends of the 1st and every following 8th row until there are 60 sts. and the work measures 10 ins. (or length required).

SHAPE TOP: Cast off 3 sts. at the beg. of the next 2 rows. Dec. 1 st. at both ends of the next 6 rows and then at both ends of every alternate row until 28 sts. rem. Dec. 1 st. at both ends of the next 6 rows. Cast off, working 2 tog. at both ends of the casting-off row.

TO MAKE UP: Press the work with a warm iron over a damp cloth, omitting the ribbing. Join shoulder, side and sleeve seams. Sew together the 2 sets of border sts. and stitch to back neck edge. Sew in sleeves, placing the seams $\frac{1}{4}$ inch towards the front from side seams. (This is important.). Press seams. Sew on buttons to correspond with buttonholes. [END]

LADDIE

Continued from page 3

needles and work in st.st. until the piece measures $8\frac{1}{2}$ ins., ending with a p. row.

SHAPE ARMHOLES: Cast off 4 sts. at the beg. of the next 2 rows then dec. 1 st. at both ends of the following 6 rows. (62 sts.). Work without further shaping until the armholes measure $3\frac{1}{2}$ ins. on the straight, ending with a p. row.

SHAPE NECK AND SHOULDERS: K. 22, cast off 18, k. 22. Cont. on the last 22 sts., dec. 1 st. at the neck edge on the next 2 rows. Now shape the shoulder by casting off 9 sts. from the armhole edge on the following 2 alternate rows, at the same time dec. at the neck edge twice more. Rejoin wool at the neck edge and work the other side to correspond, reversing shapings.

RIGHT FRONT: Using No. 12 needles and M. wool, cast on 44 sts. and work 1 inch in garter st. Change to No. 10 needles and work as follows:—

1st Row: K. 6 (border), then k. to end.

2nd Row: P. until 6 sts. rem., k. 6 (border).

Rep. these 2 rows once.

Now commence working the dog motif from the accompanying chart marked "Right Front," which is worked throughout in st.st. Each square represents one st., and the 38 sts. and 21 rows shown in the chart form the complete patt. for the Right Front (excluding the 6 garter st. border at the front edge).

NOTE: Always twist the wools at the juncture between the Fair Isle sts. and those of the background to obtain a neat finish, but do not pull too tightly or the work will become puckered. Read all k. rows from right to left of the chart and all p. rows from left to right.

Thus the first 4 rows will read as follows:—

1st Row: K. 6 M. (border), k. 10 M., 2 F., 26 M.

2nd Row: P. 5 M., 3 F., 17 M., 4 F., 9 M., then k. 6 M. (border).

3rd Row: K. 6 M. (border), k. 10 M., 1 B., 3 F., 12 M., 2 F., 4 M., 1 F., 1 B., 4 M.

4th Row: P. 5 M., 2 F., 2 M., 1 B., 1 F., 13 M., 2 F., 2 B., 10 M., then k. 6 M. (border).

Cont. in this way until the chart has been completed, then cont. in M. with the 6 garter st. border until the work measures the same as for the back to armhole, ending with a right side row.

SHAPE ARMHOLE AND FRONT SLOPE: Cast off 4 sts. at the beg. of the next row, p. until 6 sts. rem., k. 6.

Next Row: K. 6, sl. 1, k. 1, p.s.s.o., k. until 2 sts. rem., k. 2 tog.

Dec. 1 st. at the armhole edge on the next 5 rows, but at the same time dec. 1 st. at the front edge immediately inside the garter st. border (as before) on every following 4th row until 24 sts. rem., and the armhole measures the same as for the back to shoulder, ending with a right side row.

SHAPE SHOULDER: Cast off 9 sts. from the armhole edge on the next 2 alternate rows, then cont. in garter st. on the rem. 6 sts. for $1\frac{1}{2}$ ins., cast off.

LEFT FRONT: Work to correspond with the Right Front with the border and all shapings at opposite ends of the work, using the chart marked Left Front for the dog motif and making a buttonhole at the end of the 5th row and then at intervals of $1\frac{1}{2}$ ins. until there are 5 in all thus:—Work until 4 sts. rem., wind the wool twice around the needle, k. 2 tog., k. 2. On the following row k. one made loop and drop the other.

SLEEVES (both alike): Using No. 12 needles and M. wool, cast on 42 sts. and work 1 inch in garter st. Change to No. 10 needles and work in st.st., inc. 1 st. at both ends of the 3rd and every following 8th row until there are 62 sts. on the needle and the work measures $10\frac{1}{2}$ ins. (or length required).

SHAPE TOP: Dec. 1st. at both ends of every row until 18 sts. rem. Cast off, working 2 tog. at both ends of the casting-off row.

TO MAKE UP: Press the work with a warm iron over a damp cloth. Darn in ends of wool at the back of Fair Isle motifs. Join shoulder, side and sleeve seams. Sew in sleeves. Stitch together the 2 sets of border sts. and sew to back neck edge. Press all seams. Sew on buttons to correspond with buttonholes.

[END]

JUNIOR MISS

Continued from page 5

Rep. the last 2 rows once. (12 rows to patt.)

Rep. these 12 patt. rows until the work measures 8 ins., ending with a wrong side row.

NOTE: When counting the number of sts. on needle, count only on the 1st, 9th, 10th, 11th, or 12th patt. rows. On all other rows count the "pear drop" part of the patt. as 1 st. only.

SHAPE ARMHOLES: Keeping the patt. correct, cast off 3 sts. at the beg. of the next 2 rows, then dec. 1 st. at both ends of every row until 59 sts. rem. **NOTE:** There will now be 4 purl sts. at both ends of the needle on right side rows instead of 3 as before. Cont. in patt. without further shaping until the armholes measure $4\frac{1}{2}$ ins. on the straight, ending with a wrong side row.

SHAPE SHOULDERS: Keeping the patt. correct, cast off 8 sts. at the beg. of the next 4 rows, then cast off rem. sts. for back neck.

LEFT FRONT: Cast on 43 sts. and work 9 rows in moss st.

Now work as follows:—Moss st. 6, work in patt. as for 1st patt. row to end.

2nd row: Work as for 2nd patt. row until 6 sts. rem., moss st. 6.

Cont. thus, keeping the patt. correct and with the moss st. border until the work measures the same as for the back to commencement of armhole shapings, ending with a wrong side row.

SHAPE ARMHOLE AND FRONT SLOPE: Cast off 3 sts. at the beg. of the next row, work until 8 sts. rem., work 2 tog., moss st. 6. Dec. 1 st. at the armhole edge on every row until 9 sts. have been reduced at this edge,

at the same time cont. to shape the front slope by dec. 1 st. immediately inside the moss st. border on every following 3rd row until 22 sts. rem., then work without further shaping until the armholes measure the same as for the back to shoulder, ending with a wrong side row.

SHAPE SHOULDER: Cast off 8 sts. at the beg. of the next 2 alternate rows, then cont. in moss st. on the rem. 6 sts. for $1\frac{1}{2}$ ins., cast off.

RIGHT FRONT: Work to correspond with the left front with the border and all shapings at opposite ends of the work, making a buttonhole in the 5th row (and then at intervals of $1\frac{1}{2}$ ins. until there are 6 in all) thus:—Moss st. 3, cast off 2, work to end of row. On the following row cast on 2 sts. to replace those cast off.

SLEEVES (both alike): Cast on 37 sts. and work 9 rows in moss st.

Now work in patt. as for the back of cardigan, inc. 1 st. at both ends of the 7th and every following 6th row until there are 59 sts. on the needle (4 p. sts. at both ends of all right-side rows when there are 59 sts. on needle) then work without further shaping until the sleeve measures 11 ins. (or length required).

SHAPE TOP: Keeping the patt. correct, dec. 1 st. at both ends of every row until 19 sts. rem. Cast off, working 2 tog. at both ends of the casting-off row.

TO MAKE UP: Press the work very lightly with a warm iron over a damp cloth. Join shoulder, side and sleeve seams. Sew in sleeves. Stitch together the 2 sets of border sts., and sew to back neck edge. Press seams. Sew on buttons to correspond with buttonholes.

[END]

The subject matter of this book is copyright, and reproduction in any form is forbidden.

Published and Distributed by

PARAGON ART NEEDLECRAFT LIMITED

WELLINGTON and DUNEDIN. Also in Australia and South Africa



cuddles

AGED 3-4 YEARS



MATERIALS:

5 ozs of "MILADI" 3-ply Scotch Fingering Wool. 1 pair each Nos. 11 and 13 "PARAGON" knitting needles. 5 buttons.

MEASUREMENTS: Length from shoulder to lower edge 13 ins., chest 24 ins., sleeve seam 11 ins.

TENSION: 8 sts. and 11 rows to 1 inch.

ABBREVIATIONS: See page 7.

NOTE: The pattern used in this design requires a number of stitches divisible by 10 plus 3.

THE BACK: Using No. 13 needles, cast on 86 sts. and work $1\frac{1}{2}$ ins. in k. 1, p. 1 rib, inc. into every 11th st. on the last row. (93 sts.).

Change to No. 11 needles and work in the following patt.:

1st Row: K. 1, p. to the last st., k. 1.

2nd Row: K.

3rd Row: K. 1, k. 2 tog., * k. 3, m. 1, k. 1, m. 1, k. 3, k. 3 tog; rep. from * ending the row with k. 2 tog., k. 1 instead of k. 3 tog.

4th, 6th and 8th Rows: K. 1, p. to the last st., k. 1.

5th Row: K. 1, k. 2 tog., * k. 2, m. 1, k. 3, m. 1, k. 2, k. 3 tog.; rep. from * ending the row with k. 2 tog., k. 1 instead of k. 3 tog.

7th Row: K. 1, k. 2 tog., * k. 1, m. 1, k. 5, m. 1, k. 1, k. 3 tog.; rep. from * ending the row with k. 2 tog., k. 1 instead of k. 3 tog.

9th Row: K. 1, k. 2 tog., * m. 1, k. 7, m. 1, k. 3 tog.; rep. from * ending the row with k. 2 tog., k. 1, instead of k. 3 tog.

10th Row: As the 4th row.

These 10 rows comprise the patt. Rep. them until the work measures $8\frac{1}{2}$ ins., ending with a wrong side row.

SHAPE ARMHOLES: Cast off 3 sts at the beg. of the next 2 rows, then keeping the patt. correct, dec. 1 st. at both ends of the next 5 rows and then at both ends of the next 2 alternate rows. (73 sts.) Cont. in patt. without further shaping until the armholes measure $4\frac{1}{2}$ ins. on the straight, ending with a wrong side row.

Continued on page 15



cutee

AGED 2-3 YEARS

MATERIALS: 4 ozs. of 3 ply "MILADI-ANNE" Best Botany Hand Knitting Wool. 1 pair each Nos. 10 and 12 "PARAGON" knitting needles. 6 Buttons.

MEASUREMENTS: Length from shoulder to lower edge, 12 ins.; chest, 23 ins.; sleeve seam, 9½ ins.

TENSION: 7½ sts. 1 inch.

ABBREVIATIONS: See Page 7.

NOTE: The pattern used in this design requires a number of stitches divisible by 4 plus 1.

THE BACK: Using No. 12 needles, cast on 85 sts. and work in rib as follows:—

1st Row: K. 1, * p. 1, k. 1; rep. from * to end.

2nd Row: P. 1, * k. 1, p. 1; rep. from * to end.

Rep. these 2 rows until the work measures 1½ ins., ending with a 2nd row.

Now change to No. 10 needles and work in the following patt.:—

1st Row: K. 1, * p. 3, k. 1; rep. from * to end.

2nd Row: K. 1, * k. 3, p. 1; rep. from * until 4 sts. rem., k. 4.

Rep. these 2 rows once more.

5th Row: K. 1, p. 1, * (k. 1, p. 1, k. 1, all into the next st.), p. 3; rep. from *, ending with p. 1, k. 1, instead of p. 3.

6th Row: K. 2, * p. 3, k. 3; rep. from *, ending with k. 2 instead of k. 3.

7th Row: K. 1, p. to the last st., k. 1.

8th Row: K. 2, * p. 3 tog., k. 3; rep. from *, ending with k. 2 instead of k. 3.

These 8 rows comprise the patt. Cont. to rep. them until the work measures 8 ins., ending with a wrong side row.

SHAPE ARMHOLES: Note: When counting the number of sts. on the needle, always count the "noble" part of the stitch as one st. only.

Cast off 3 sts. at the beg. of the next 2 rows, then, keeping the patt. correct, dec. 1 st. at both ends of the next 6